



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|-----------------------|---------------------|------------------|
| 09/637,520 | 08/10/2000 | Thomas Michael Walley | 10001892-1 | 7579 |

22878 7590 12/22/2003

AGILENT TECHNOLOGIES, INC.
INTELLECTUAL PROPERTY ADMINISTRATION, LEGAL DEPT.
P.O. BOX 7599
M/S DL429
LOVELAND, CO 80537-0599

EXAMINER

KIBLER, VIRGINIA M

| ART UNIT | PAPER-NUMBER |
|----------|--------------|
|----------|--------------|

2623

DATE MAILED: 12/22/2003

6

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/637,520

Applicant(s)

WALLEY ET AL.

Examiner

Virginia M Kibler

Art Unit

2623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 August 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 5.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 5 and 19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 5 recites the limitation "the plurality of sensors" in lines 1-2. There is insufficient antecedent basis for this limitation in the claim.

Claim 19 recites the limitation "the fingerprint" in line 5. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1, 5, 9, and 20 are rejected under 35 U.S.C. 102(e) as being anticipated by Raynal et al. (6,643,389).

Regarding claim 1, Raynal et al. ("Raynal") discloses a fingerprint imager for capturing an image of a fingerprint including a single sensor integrated circuit having an imaging array 13 having a plurality of sensors arranged along a first axis for capturing a sub-image of the fingerprint at one time (Col. 3, lines 31-37), wherein the fingerprint is moved with respect to the imaging array in a direction that is generally perpendicular to the first axis (Col. 3, lines 48-50; Figure 1) and a mechanism 19 for determining a change in the position of the fingerprint with respect to time and controlling the image capture of the imaging array (Col. 4, lines 7-14).

Regarding claim 20, Raynal discloses a method of imaging an object including capturing movement information of an object by using a navigation sensor array 19 and a navigation engine 27 (Col. 4, lines 7-15), based on the movement information determining when to capture a sub-image of the object by using an imaging sensor array having a plurality of pixels for imaging a portion of the object at one time (Col. 3, lines 31-47), successively capturing a plurality of sub-images by using an imaging sensor array as the object moves with respect to the imaging sensor array (Col. 4, lines 27-29), and generating a composite image of the object based on the captured portions of the object by using a processor-based application (Col. 5, lines 38-47), wherein the single sensor chip is integrated with the navigation engine and the navigation sensor array (Col. 4, lines 30-32).

Regarding claim 5, Raynal discloses a plurality of capacitive-type sensors (Col. 3, lines 38-47).

Regarding claim 9, Raynal discloses the finger being moved along a physical surface (Col. 3, lines 48-50).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Raynal et al. (6,643,389) as applied to claim 1 above.

Regarding claim 17, Raynal discloses a rectangular imaging array sensor (Col. 3, lines 28-47). While Raynal does not specify using a 1 by N sensor array, it would have been obvious in light of Raynal's disclosure to have modified the rectangular sensor array to a 1 by N sensor array because it require less space and thereby minimize the size.

7. Claims 2-4, 10-12, 15, 18, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Raynal et al. (6,643,389) as applied to claim 1 above, and further in view of Bohn et al. (6,207,945).

Regarding claim 2, Raynal discloses a navigation sensor 19 for capturing navigation information of a portion of the fingerprint as the fingerprint moves with respect to the navigation sensor and a navigation circuit 27, coupled to the navigation array, for controlling when the navigation array captures navigation information for receiving the information and based thereon for determining the amount of movement of fingerprint (Col. 4, lines 1-14). Raynal discloses obtaining movement information but does not specify capturing images or determining the amount of movement along a first and second axis. However, Bohn et al. ("Bohn") teaches that it is known to include an imaging array 120 as well as a navigation array 130, 132 and navigation

Art Unit: 2623

circuit 150 (Figures 2 and 5) in an imaging device wherein the navigation array captures navigation images (Col. 12, lines 42-44) and the navigation circuit determines the amount of movement along a first axis and a second axis that is perpendicular to the first axis (Col. 12, lines 1-4 and lines 17-31). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the navigation array and navigation circuit disclosed by Raynal to include capturing images and determining movement information along a first and second axis as taught by Bohn because it provides greater accuracy in determining the relative movement between the object and the imager.

Regarding claim 3, Raynal does not appear to recognize the imaging array and the navigation array sharing at least one sensor. However, Bohn teaches that it is known for the imaging array and the navigation array to share at least one sensor (Figure 7; Col. 14, lines 10-14). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the imaging array and the navigation array disclosed by Raynal to include sharing at least one sensor as taught by Bohn because it allows the navigation array to be integrated into the imaging array thereby reducing the size of the imager and alleviating problems associated with locating the navigation sensors a distance from the imaging array (Col. 8, lines 45-53).

Regarding claim 4, Raynal discloses the imaging array 13 separate from the navigation array 19 (Figure 1).

Regarding claim 10, Raynal does not appear to specify the pixel size of the sensors of the imaging array is different from the navigation array. However, it would have been an obvious matter of design choice to specify different pixel size of the sensors in both the imaging array

Art Unit: 2623

and the navigation array because it is well known in the art to choose pixel size according to the precision needed.

Regarding claim 11, Raynal discloses the pixel size of the sensors of the imaging array having the dimensions of about 50 microns (Col. 3, lines 38-47), but does not specify the pixels of the sensors of the navigation array having dimensions of about 20 microns. However, it would have been an obvious matter of design choice to specify the pixel size of the sensors in the navigation array having smaller dimensions because it will yield higher precision in determining the change in position.

Regarding claim 12, Raynal discloses the resolution of the sensors of the imaging array and the navigation array is about 500 dpi (Col. 3, lines 38-60).

Regarding claim 15, Raynal discloses employing the change in position to selectively control when the imaging array captures the sub-images (Col. 4, lines 1-14), thereby an imaging array strobe generator. Raynal further discloses receiving the sub-images and the movement information for each sub-image relative to a previous sub-image and based thereon generates a composite image of the fingerprint (Col. 5, lines 37-46) and analyzing the composite image to generate minutia and compares the generated minutia to previously stored minutia (Col. 4, lines 30-39), and grants access to a resource if the generated minutia matches one of the previously stored minutia (Col. 1, lines 13-19). Raynal does not appear to specify including a processor. However, Bohn teaches that it is known to include a processor to generate a composite image of the object based on the sub-images and the movement information. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the generation of composite image disclosed by Raynal to include using a processor as taught by

Art Unit: 2623

Bohn because it is well known in the art to use stitching software to create an electronic image of the object.

Regarding claim 18, Raynal does not appear to disclose a P by Q navigation sensor array. However, Bohn discloses a navigation array as a P by Q sensor array (Col. 8, lines 38-42). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the mechanism for determining a change in the position disclosed by Raynal to include a P by Q navigation sensor array because it allows for the change in position to be detected in two directions.

Regarding claim 19, Raynal discloses an imager for capturing an image of an object 17 including a surface having an axis (Figure 1), wherein the object is moved in a first direction relative to the axis of the surface, an imaging sensor array having a plurality of sensors arranged along a first axis for imaging a portion of a fingerprint at one time in response to an asserted imaging sensor array signal (Col. 3, lines 33-47; Col. 4, lines 1-14), and a navigation sensor for obtaining movement information of the object in response to an asserted navigation sensor array strobe signal (Col. 3, lines 48-60; Col. 4, lines 1-14) wherein the imager is integrated in a single chip (Col. 4, lines 30-39). Raynal does not appear to recognize a navigation circuit for receiving images and determining the amount of movement in a first and second direction. However, Bohn teaches that it is known to include an imaging array 120 as well as a navigation array 130, 132 and navigation circuit 150 (Figures 2 and 5) in an imaging device wherein the navigation array captures navigation images (Col. 12, lines 42-44) and the navigation circuit determines the amount of movement along a first axis and a second axis that is perpendicular to the first axis (Col. 12, lines 1-4 and lines 17-31). Therefore, it would have been obvious to one of ordinary

Art Unit: 2623

skill in the art at the time of the invention to have modified the navigation array and navigation circuit disclosed by Raynal to include capturing images and determining movement information along a first and second axis as taught by Bohn because it provides greater accuracy in determining the relative movement between the object and the imager.

8. Claims 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Raynal et al. (6,643,389) as applied to claim 1 above, and further in view of Akizuki (6,360,004).

Regarding claim 13, Raynal does not appear to recognize the imager as a stand-alone unit. However, Akizuki teaches that it is known to implement a fingerprint sensor as a touch pad, or a stand-alone unit, wherein the fingerprint imager further comprises a capacitive sensor (Col. 2, lines 62-67) having a surface along which a finger is moved 4 and an assembly for housing the capacitive sensor (Col. 2, lines 17-20). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the imager disclosed by Raynal to be implemented as a stand-alone unit as taught by Akizuki because it is suitable for portable use.

Regarding claim 14, the arguments analogous to those presented above for claim 13 are applicable to claim 14. Note, Akizuki discloses a touch pad, thereby a PC peripheral.

9. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Raynal et al. (6,643,389) and Bohn et al. (6,207,945) as applied to claim 2 above, and further in view of Akizuki (6,360,004).

Regarding claim 16, the arguments analogous to those presented above for claim 13 are applicable to claim 16. Akizuki discloses a processor 5 (Figure 1) and a cursor control software which when executing on the processor receives the movement information from the navigation

Art Unit: 2623

engine and uses the movement information to control the cursor (Col. 3, lines 47-51). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the imager disclosed by Raynal and Bohn to include the cursor control as taught by Akizuki because it provides a dual function thereby eliminating the need for two separate sensors.

10. Claims 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Raynal et al. (6,643,389) as applied to claim 1 above, and further in view of Brownlee (6,282,303).

Regarding claim 6, Raynal does not recognize a stand-alone unit including optics. However, Brownlee teaches that it is known to include a fingerprint imager implemented in a stand-alone unit 910 in Figure 9 (Col. 2, lines 28-29) including optics for focusing light onto the surface (Abstract, lines 3-5) and an optics assembly 211 for housing the optics (Figure 2). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the fingerprint imager disclosed by Raynal to a stand-alone unit including optics, as taught by Brownlee, because it is well known in the art and provides a compact device suitable for portable use.

Regarding claim 7, the arguments analogous to those presented above in claim 6 are applicable to claim 7. Note, Brownlee discloses the fingerprint imager implemented in a PC peripheral (Figure 9).

Regarding claim 8, the arguments analogous to those presented above for claim 7 are applicable to claim 8. Brownlee discloses the PC peripheral device as a mouse, thereby a cursor pointing device (Figure 9).

Response to Arguments

11. Applicant's arguments with respect to claims 1-20 have been considered but are moot in view of the new ground(s) of rejection.

Contact Information

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Virginia M Kibler whose telephone number is (703) 306-4072. The examiner can normally be reached on Mon-Thurs 8:00 - 5:30 and every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amelia Au can be reached on (703) 308-6604. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 306-0377.

VK

VK
12/7/03

**MEHRDAD DASTOURI
PRIMARY EXAMINER**

Mehrdad Dastouri